



Appliance Controller Release Notes

Release	1.4.1
Supported Product	Appliance Controller
Date	July 2017

Contents

Appliance Controller 1.4.1 Release Notes	2
New Features for Release 1.4.1	3
Change Requests: Notes and Fixed Issues	4

© 2017 Quantum Corporation. All rights reserved. Your right to copy this manual is limited by copyright law. Making copies or adaptations without prior written authorization of Quantum Corporation is prohibited by law and constitutes a punishable violation of the law. Artico, Be Certain (and the Q brackets design), DLT, DXi, DXi Accent, DXi V1000, DXi V2000, DXi V4000, DXiV-Series, FlexSpace, FlexSync, FlexTier, Lattus, the Q logo, the Q Quantum logo, Q-Cloud, Quantum (and the Q brackets design), the Quantum logo, Quantum Be Certain (and the Q brackets design), Quantum Vision, Scalar, StorageCare, StorNext, SuperLoader, Symform, the Symform logo (and design), vmPRO, and Xcellis are either registered trademarks or trademarks of Quantum Corporation and its affiliates in the United States and/or other countries. All other trademarks are the property of their respective owners. Products mentioned herein are for identification purposes only and may be registered trademarks or trademarks of their respective companies. All other brand names or trademarks are the property of their respective owners. Quantum specifications are subject to change.

Appliance Controller 1.4.1 Release Notes

The Appliance Controller is Quantum's newly-branded feature for managing not only StorNext NAS, but also SNMP and iSCSI. This Appliance Controller Documentation Center and Release Notes are replacing the previous StorNext NAS Documentation Center and Release Notes. The Appliance Controller documentation includes all content to assist you in performing NAS, SNMP, and iSCSI tasks from the controller console.

The Appliance Controller 1.4.1 Release Notes provides the following:

- [New Features for Release 1.4.1 on the next page](#)
- [Change Requests: Notes and Fixed Issues on page 4](#)

For help with upgrading your Appliance Controller, see the [Upgrades](#) section in the *Appliance Controller Documentation Center*.

For help with troubleshooting Appliance Controller issues, see the [Troubleshooting Tips and FAQs](#) section in the *Appliance Controller Documentation Center*.

Supported Software, Hardware, and Licensing Models

The following section provides information regarding supported platforms and licensing models.

Appliance Controller Compatibility

Appliance Controller 1.4.1 is supported only with StorNext 5 Release 5.4.0 and later. We strongly recommend upgraded to Appliance Controller 1.4.1 before upgrading to StorNext 6.0. Refer to the appropriate appliance Release Notes for installing the latest StorNext release.

Supported Quantum Hardware

Appliance Controller 1.4.1 is supported on the following Quantum appliances:

Appliance	CentOS Version
Xcellis Workflow Director	OS7 (R630 Server)
Artico	OS6 (R520 Server) OS7 (R630 Server)
Xcellis Workflow Extender	OS6 (R520 Server) OS7 (R630 Server)
G300	OS6
M-Series (M44x, M66x, and Pro Foundation)	OS6

i Note: If you want to run the StorNext NAS on Xcellis Workflow Director, Xcellis Workflow Extender, G300 Gateways, or M-Series MDCs, contact your Quantum Account Manager to ask about obtaining a StorNext NAS license.

Licensing and Enablement

Beginning with StorNext 5.3.0, StorNext NAS is a licensed feature for Artico, Xcellis Workflow Director, Xcellis Workflow Extender, G300 Gateways, and M-Series Metadata Controllers.

- For Artico, the appliances are shipped with StorNext NAS licenses pre-installed.
- For Xcellis Workflow Director, Xcellis Workflow Extender, G300 Gateways, and M-Series Metadata Controllers, you must purchase add-on StorNext NAS licenses, and then install these licenses on each node running NAS management services.
- You can install StorNext NAS licenses using the StorNext GUI's licensing feature. See the [License NAS in the StorNext GUI](#) topic of the *StorNext Connect Documentation Center*.

New Features for Release 1.4.1

The Appliance Controller 1.4.1 release includes the following new features.

SNMP Monitoring Support

The Appliance Controller provides Simple Network Management Protocol (SNMP) services, which you can use to effectively monitor your Data Center. These SNMP services support existing network management tools, such as HP OpenView, Nagios, Icinga, or SolarWinds.

You must be running StorNext 6.0 software or a later version to use the SNMP feature.

See [SNMP Monitoring](#) in the *Appliance Controller Documentation Center*.

iSCSI Network Connections

The Appliance Controller's iSCSI feature provides iSCSI network connectivity between an Xcellis Workflow Director or Artico (initiator) and QXS Storage Arrays (targets).

You must be running StorNext 6.0 software or a later version to use the iSCSI feature.

See [StorNext Appliances iSCSI](#) in the *Appliance Controller Documentation Center*.

Change Requests: Notes and Fixed Issues

The following table presents notes and fixed issues for Appliance Controller 1.4.1.

Table 1: Appliance Controller 1.4.1

Change Request	Description
H451 / 64171	<p>FIXED</p> <p>Issue: NFS clients cannot distinguish between two NFS shares that are exported from the same underlying StorNext file system.</p> <p>By default, the Linux NFS server uses the underlying StorNext file system's UUID to identify an exported share. However, shares exported from the same StorNext file system have the same UUID, and therefore, the NFS client cannot differentiate between them.</p> <p>Resolution:The Appliance Controller now generates a unique fsid for each NFS share.</p>
H1413 / 68182	<p>FIXED</p> <p>Issue: If you assign a numeric-only user name to the <code>auth config ads</code> command's <code><admin_username></code> value, the <code>share create</code> command fails.</p> <p>Resolution: You can now assign both numeric-only and alpha-only admin user names to the <code>auth config ads</code> command's <code><admin_username></code> value.</p>
H1421 / 68037	<p>FIXED</p> <p>Issue: If you attempt to stop StorNext services on an Xcellis Workflow Director by issuing the <code>systemctl cvfs stop</code> command, you may cause StorNext services to hang or fail if you do not first stop NAS failover services on NFS clusters.</p> <p>Resolution: You can now successfully stop StorNext services on an Xcellis Workflow Director by issuing the <code>systemctl cvfs stop</code> command — without first needing to stop NAS failover services on NFS clusters.</p>
H1447 / 68107	<p>FIXED</p> <p>Issue: Under certain circumstances, such as after a NAS failover, the non-master nodes are unable to sync with the master node.</p> <p>Resolution: The Appliance Controller now monitors such scenarios, and it corrects any issues so that all nodes within the NAS cluster can sync with the master node.</p>
H1479 / 67999	<p>FIXED</p> <p>Issue: NAS VIPs are being assigned the same IP addresses as those used for StorNext HA.</p> <p>Resolution: The Appliance Controller now checks that the NAS VIP is not the same as a StorNext HA VIP.</p>