



# StorNext 3.5.3 Upgrade Guide

---

---

<b>Introduction</b>	<b>3</b>
<hr/>	
<b>Getting Ready to Upgrade</b>	<b>3</b>
Upgrade Guidelines . . . . .	3
Upgrading HA Systems . . . . .	4
Upgrading the Client Software . . . . .	4
<hr/>	
<b>Running the Pre-Installation Script</b>	<b>4</b>
Before You Begin . . . . .	5
Running snPreInstall . . . . .	5
Interpreting snPreInstall Output . . . . .	6
<hr/>	
<b>Upgrading to StorNext 3.5.3 (SNFS and SNSM)</b>	<b>7</b>
<hr/>	
<b>Upgrading to StorNext 3.5.3 (SNFS Only)</b>	<b>8</b>
Upgrading SNFS on Linux and Unix . . . . .	8
Upgrading SNFS on Windows . . . . .	9
<hr/>	
<b>Contacting Quantum</b>	<b>13</b>





---

## Introduction

This document provides information about upgrading to StorNext 3.5.3 from a previous version. Instructions are provided for metadata controllers (MDCs) running both StorNext File System (SNFS) and StorNext Storage Manager (SNSM), as well as for MDCs running SNFS only.

For upgrade procedures, or to learn how to contact Quantum for assistance, see the following sections:

- [Getting Ready to Upgrade](#) on page 3
- [Running the Pre-Installation Script](#) on page 4
- [Upgrading to StorNext 3.5.3 \(SNFS and SNSM\)](#) on page 7
- [Upgrading to StorNext 3.5.3 \(SNFS Only\)](#) on page 8
- [Contacting Quantum](#) on page 13

---

## Getting Ready to Upgrade

This section includes important information about upgrading to StorNext 3.5.3. Review the following sections before upgrading:

- [Upgrade Guidelines](#)
- [Upgrading HA Systems](#)
- [Upgrading HA Systems](#)
- [Upgrading the Client Software](#)

---

### Upgrade Guidelines

---

Before upgrading StorNext, review the following upgrade guidelines:

- Before upgrading, make sure there is no I/O activity. On the StorNext home page, the number of store candidates should be 0. For tape drives, make sure no media is mounted and no read/write operations are being performed. If there is I/O activity, wait for the I/O activity to complete before upgrading. If you attempt to perform an upgrade during a period of high activity, the upgrade may fail.
- Before upgrading, Quantum recommends reviewing system configuration settings and performing a backup procedure to back up StorNext configuration files.
- Before upgrading, Quantum recommends storing all files. (If you do not store files prior to upgrading, Quantum recommends running a rebuild policy after the upgrade.)
- Before upgrading, Quantum recommends making sure all tape drives are at approved firmware levels. After upgrading, you may not be able to use drives that are not running an approved firmware version.

- A metadata dump is automatically performed during the upgrade process. Depending on the size of the file system, this can extend the time required to complete the upgrade.
- After upgrading, your StorNext license remains valid. You do not need to request a new licence if the system ID does not change.

---

## Upgrading HA Systems

---

Upgrades for MDCs running in a High Availability (HA) Failover environment must be performed by Quantum Professional Services. If your system is running with failover enabled, contact the Quantum Technical Assistance Center (see [Contacting Quantum](#) on page 13).

---

## Upgrading the Client Software

---

To upgrade to the StorNext 3.5.3 client software on Linux and Unix systems, install the new client software package. There is no need to uninstall previous versions of the client software. For more information about installing the client software on Linux and Unix, see the *StorNext 3.5.3 Installation Guide*.

To upgrade to the StorNext 3.5.3 client software on Windows, follow the procedure in [Upgrading SNFS on Windows](#) on page 9.

---

# Running the Pre-Installation Script

The StorNext pre-installation script (**snPreInstall**) is included on the StorNext installation CD. When you run **snPreInstall**, you are prompted for information about your system. The pre-installation script uses this information to estimate the amount of local disk space required for SNFS and SNSM support directories. In addition, the script recommends the optimal locations for support directories.

StorNext uses five directories to store application support information. These directories are stored locally on the metadata controller, except for the **Backup** directory, which is stored on the managed file system.

The StorNext support directories are described in [Table 1](#).

---

Table 1 StorNext Support Directories

Support Directory	Description
Database /adic/database	Records information about where and how data files are stored.
Journal /adic/database_jnl	Records changes made to the database.
Mapping /adic/mapping_dir	Contains index information that enables quick searches on the file system.
Metadata /adic/database_meta	Stores metadata dumps (backups of file metadata).

Support Directory	Description
Backup /backup	Contains configuration files and support data required for disaster recovery.

## Before You Begin

Before running the pre-installation script, be prepared to answer the following questions:

- Is this an upgrade installation?
- What local file systems can be used to store support information?
- What version of StorNext will be installed?
- What is the maximum number of directories expected (in millions)?
- What is the maximum number of files expected (in millions)?
- How many copies will be stored for each file?
- How many versions will be retained for each file?

---

**Note:** Keep in mind that storage needs typically grow rapidly. Consider increasing the maximum number of expected directories and files by a factor of 2.5x to ensure room for future growth.

---

---

**Note:** The pre-installation script ignores unmounted file systems. Before running **snPreInstall**, be sure to mount all local file systems that will hold StorNext support information.

---

## Running snPreInstall

To run the pre-installation script, use the StorNext installation CD.

- 1 Log on to the MDC as root.
- 2 Mount the StorNext installation CD and change to the CD root directory.
- 3 List the installation directories on the CD. At the command prompt, type:

```
ls -l
```

- 4 Identify the correct installation directory for your operating system and hardware platform, and then change to that directory.

For example, for Red Hat Linux 5 running on an x86 64-bit platform, change to the **RedHat50AS\_26x86\_64** directory.

- 5 Run the script. At the command prompt, type:

```
./snPreInstall
```

The pre-installation script runs ([Figure 1](#)).

Figure 1 Pre-Installation Script

```
-----
This script will determine the disk space requirements for
performing a StorNext install/upgrade. It will then report
whether or not the local system has the required disk space
for the operation. Output will be one of these four types:

RECOMMEND: A recommendation of how to set up the
StorNext directories on your system.
NOTE: An advisory message indicating that the system
can run with the given configuration, at the
desired capacity, but the configuration
is not optimal.
SPACE: Due to space issues the system cannot be
configured to run at the desired capacity
without adding more disk space.
Aborting: An error has occurred, or invalid input has been
provided, and no further analysis can be done.

The script will exit with one of these values:
0 - disk space fine, ok to proceed with install/upgrade
1 - disk space available, but not optimal file system layout
2 - disk space not available for install/upgrade
3 - invalid args etc. kept script from completing normally
-----
Are you upgrading ?? [y/<n>]:
```

6 Follow the onscreen instructions, and answer each question when prompted.

The script outputs results based on the information you entered.

## Interpreting snPreInstall Output

After you enter all requested information, the pre-installation script outputs the following results:

- Estimated disk space required for each support directory.
- Recommended file system location for each support directory.

**Tech Tip:** For optimal performance, each support directory (other than the **Backup** directory) should be located on its own local file system, and each local file system should reside on a separate physical hard disk in the MDC.

There are three types of directory recommendations, as indicated by the text preceding the recommendation. The three types of recommendations are described in [Table 2](#).

Table 2 Pre-Installation Script Recommendation Types

Type	Description
RECOMMEND	The suggested directory locations will result in optimal system performance.
NOTE	The suggested directory locations are valid but system performance will not be optimal.
SPACE	Additional hard disk space is required to store the required support directories.

The pre-installation script bases directory location recommendations on the following criteria:

- To aid disaster recovery, the **Database** and **Journal** directories should be located on different file systems.
- For optimal performance, the **Metadata** directory should not be located on the same file system as (in order of priority) the **Journal**, **Database**, or **Mapping** directory.

---

**Note:** Do not change the location of support directories manually. Instead, use the installation script to specify the location for support directories. For more information, see [Upgrading to StorNext 3.5.3 \(SNFS and SNSM\)](#) or [Upgrading to StorNext 3.5.3 \(SNFS Only\)](#).

---

---

## Upgrading to StorNext 3.5.3 (SNFS and SNSM)

Use the StorNext installation script to upgrade to StorNext 3.5.3 on a metadata controller running StorNext Storage Manager and StorNext File System. To launch the script, use the correct StorNext installation CD for your operating system.

- 1 Log on to the MDC as root.
- 2 Mount the StorNext installation CD and change to the CD root directory.

---

**Note:** When you mount a CD in a Red Hat 4 or 5 system, CDs are mounted by default with a `noexec` (non-executable) option which prevents you from proceeding with the installation.

For Red Hat users only, before proceeding you must remount the CD by typing `mount -o remount, exec ...`

---

- 3 List the installation directories on the CD. At the command prompt, type:

```
ls -l
```

- 4 Identify the correct installation directory for your operating system and hardware platform, and then change to that directory.

For example, for Red Hat Linux 5 running on an x86 64-bit platform, change to the `RedHat50AS_26x86_64` directory.

- 5 Run the script with the `-upgrade` option. At the command prompt, type:

```
./install.stornext -upgrade
```

The installation script runs ([Figure 2](#)).

Figure 2 StorNext Installation Script

```
StorNext Upgrade 3.5.3 (13) MAIN MENU

1) Installation Configuration
2) Upgrade stornext
3) Show Status
4) Quit

Enter your choice <2>:
```

6 On the Upgrade Menu, type 2 and press <Enter>.

The StorNext installation script runs and displays the current progress of the upgrade.

---

**Note:** To customize the installation, select option 1 on the Upgrade Menu. For more information about changing configuration options, see the *StorNext 3.5.3 Installation Guide*.

---

7 When the upgrade is complete, press <Enter> to return to the Main Menu.

8 To exit the installation script, type 4 and press <Enter>.

9 Run a rebuild policy.

---

**Note:** Backups are run on some operating systems immediately following the upgrade procedure. Other operating systems run the backup after the next reboot. These backups trigger a metadata dump that (depending on the number of files and the type of hardware) can cause backups to take several hours.

---

---

## Upgrading to StorNext 3.5.3 (SNFS Only)

To upgrade to StorNext 3.5.3 on a metadata controller running StorNext File System (without Storage Manager), use the appropriate method for your operating system:

- [Upgrading SNFS on Linux and Unix](#)
- [Upgrading SNFS on Windows](#)

---

### Upgrading SNFS on Linux and Unix

---

Use the SNFS installation script to upgrade to StorNext 3.5.3 on a metadata controller running StorNext File System (without Storage Manager). To launch the script, use the correct StorNext installation CD for your operating system.

- 1 Log on to the MDC as root.
- 2 Mount the StorNext installation CD and change to the CD root directory.



---

**Note:** When you mount a CD in a Red Hat 4 or 5 system, CDs are mounted by default with a `noexec` (non-executable) option which prevents you from proceeding with the installation.

For Red Hat users only, before proceeding you must remount the CD by typing `mount -o remount, exec ...`

---

- 3 List the installation directories on the CD. At the command prompt, type:

```
ls -l
```

- 4 Identify the correct installation directory for your operating system and hardware platform, and then change to that directory.

For example, for Red Hat Linux 5 running on an x86 64-bit platform, change to the `RedHat50AS_26x86_64` directory.


- 5 Run the script with the `-upgrade` option. At the command prompt, type:

```
./install.snfs -upgrade
```

The installation script runs ([Figure 3](#)).

---

Figure 3 SNFS Installation Script



```
Snfs Upgrade 3.5.3 (13) MAIN MENU

1) Installation Configuration
2) Upgrade snfs
3) Show Status
4) Quit

Enter your choice <2>:
```

- 6 On the Upgrade Menu, type 2 and press `<Enter>`.

The SNFS installation script runs and displays the current progress of the upgrade.

---

**Note:** To customize the installation, select option 1 on the Upgrade Menu. For more information about changing configuration options, see the *StorNext 3.5.3 Installation Guide*.

---

- 7 When the upgrade is complete, press `<Enter>` to return to the Main Menu.

- 8 To exit the installation script, type 4 and press `<Enter>`.

---

## Upgrading SNFS on Windows

---

The StorNext setup wizard guides you through the process of upgrading StorNext File System on a metadata controller running Windows 2003 Server. (The installation wizard also installs the client software on the MDC.)

When you are ready, use the setup wizard to upgrade StorNext (see [Running the Setup Wizard](#)).

---

**Note:** You must log on as an Administrator to install StorNext.

---

## Running the Setup Wizard

To launch the setup wizard, use the correct StorNext installation CD for your operating system.

- 1 Insert the StorNext installation CD.
- 2 Browse to the root directory of the installation CD and double-click the file **SnfsSetup64.exe** (64-bit systems).

The **StorNext Installation** window appears ([Figure 4](#)).


Figure 4 StorNext Installation Window: Install StorNext



- 3 Click **Install StorNext** to begin installation.

The StorNext setup wizard appears ([Figure 5](#)).


Figure 5 SNFS Setup: Welcome



- 4 Click **Next** to continue.

The **License Agreement** window appears ([Figure 6](#)).


Figure 6 SNFS Setup: End-User License Agreement



- 5 Click the option to accept the license agreement, and then click **Next** to continue.

The **Customer Information** window appears ([Figure 7](#)).


Figure 7 SNFS Setup: Customer Information



- 6 Type your name and the name of your company or organization in the boxes, and then click **Next** to continue.

The **Choose Setup Type** window appears ([Figure 8](#)).

Figure 8 SNFS Setup: Choose Setup Type




7 Click an installation option:

- **Typical:** (Recommended) Installs StorNext File System, client software, and help files in the default location (C:\Program Files\StorNext).
- **Custom:** Lets you choose which components to install and specify an installation location. When ready, click **Next**.
- **Complete:** Same as a typical installation.

The **Ready to Install** window appears ([Figure 9](#)).


Figure 9 SNFS Setup: Ready to Install



8 Click **Install** to continue.

Wait while the setup wizard installs StorNext. When installation is complete, the **Finish** window appears ([Figure 10](#)).

Figure 10 SNFS Setup: Finish



- 9 Click **Finish** to close the setup wizard.
- 10 On the **StorNext Installation** window, click **Exit**.  
You are prompted to reboot the system.
- 11 Click **Yes** to reboot.

## Contacting Quantum

More information about this product is available on the Quantum Service and Support website at [www.quantum.com/ServiceandSupport](http://www.quantum.com/ServiceandSupport). The Quantum Service and Support website contains a collection of information, including answers to frequently asked questions (FAQs). You can also access software, firmware, and drivers through this site.

To request a software upgrade, visit [www.quantum.com/ServiceandSupport/Upgrade/Index.aspx](http://www.quantum.com/ServiceandSupport/Upgrade/Index.aspx). For further assistance, or if training is desired, contact the Quantum Technical Assistance Center:

North America	+1 800-284-5101 Option 5
EMEA	00800 9999 3822
Online Service and Support	<a href="http://www.quantum.com/OSR">www.quantum.com/OSR</a>
World Wide Web	<a href="http://www.quantum.com/ServiceandSupport">www.quantum.com/ServiceandSupport</a>

(Local numbers for specific countries are listed on the Quantum Service and Support Website.)

---

Made in the USA. Quantum Corporation provides this publication “as is” without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability or fitness for a particular purpose. Quantum Corporation may revise this publication from time to time without notice.

#### **COPYRIGHT STATEMENT**

© 2011 Quantum Corporation. All rights reserved. Your right to copy this manual is limited by copyright law. Making copies or adaptations without prior written authorization of Quantum Corporation is prohibited by law and constitutes a punishable violation of the law.

#### **TRADEMARK STATEMENT**

Quantum, the Quantum logo, DLT, DLTtape, the DLTtape logo, SuperLoader, Scalar, StorNext, and DXi are registered trademarks of Quantum Corporation, registered in the U.S. and other countries. Preserving the World's Most Important Data. Yours., Backup. Recovery. Archive. It's What We Do., the DLT logo, DLTSage, Dynamic Powerdown, FastSense, FlexLink, GoVault, MediaShield, Optyon, Pocket-sized. Well-armored, SDLT, SiteCare, SmartVerify, StorageCare, Super DLTtape, and Vision are trademarks of Quantum. LTO and Ultrium are trademarks of HP, IBM, and Quantum in the U.S. and other countries. All other trademarks are the property of their respective companies. Specifications are subject to change without notice.